



# DUMBBELL SPECIFICATION

GSC01/150/8XX/YY

LM80,90 LED chips; universal voltage: 100-277V; excellent thermal design; aluminum die-casting housing; 0-10V dimming.

## Product data

---

### General Information

Light source replaceable	No
Number of gear units	1
Driver/power unit/transformer	Power supply unit
Driver included	Yes
Optic type	Symmetrical
Optical cover/lens type	-
Luminaire light beam spread	Flood
Sensor socket	-
Cable length	Cable 0.3m without plug
Protection class IEC	-
Certifications	cETLus, cULus, FCC, DLC5.0 Premium
Lifetime (hour)	50,000H
EU RoHS compliant	Yes

Light source engine type	LED
--------------------------	-----

## Operating and Electrical

Input voltage	100-277V
Input frequency	50/60Hz
Current	1.5A
THD	<20%
Power factor (min)	0.9

## Mechanical and Housing

Housing material	Aluminum
Reflector material	-
Optical cover/lens material	Glass
Optical cover/lens finish	Clear
Product dimensions mm	480*480*245
Product dimensions (inch)	18.90*18.90*9.65
Product color	White

## Approval and Application

Ingress protection code	65
Mech.impact protection code	-

## Initial Performance (IEC Compliant)

Light output	18000lm
Luminous flux tolerance	+/-10%
Efficacy	120/126 lm/w
Init.Corr.Color Temperature	3000K/4000K/5000K
Init.Color Rendering Index	80
Initial input power	150W
Power consumption tolerance	+/-10%

## Application Conditions

Ambient temperature range	-40 to +50°C
Dimming	0-10V

## Logistical Data


Order product name	GSC01/150/8XX/YY
Net weight (piece)	-
Gross weight (piece)	-
Packaging dimensions (mm)	-
Packaging dimensions (inch)	-
Packaging unit (piece)	-

Volumen (m <sup>3</sup> )	-
Volumen (ft <sup>3</sup> )	-


## Application

Gas Station Lighting

## Light Distribution & Spectrum



## Dimensional drawing



DUMBELL I/L

Plusrite does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Plusrite. Plusrite is registered.