



ZEUS VI SPECIFICATION

WPT06/100/SW/8S3/YY/PHO

Same Size(60SW&100SW)

Excellent thermal design, uniform and consistent color. Long life LED chip, shatter-resistant glass, 1-10V dimming. 50,000 hours rated average life.

Product data

General Information

Light source replaceable	NO
Number of gear units	1
Driver/power unit/transformer	Power supply unit
Driver included	Yes
Optic type	Symmetrical
Optical cover/lens type	-
Luminaire light beam spread	F.Throw
Sensor socket	-
Cable length	Cable 0.3m without plug
Protection class IEC	-
Certifications	cETLus, DLC5.1 Premium
Lifetime (hour)	50000
EU RoHS compliant	Yes

Light source engine type	LED

Operating and Electrical

Input voltage	100-277V(12V)
Input frequency	50/60Hz
Current	0.9A
THD	<20%
Power factor (min)	0.9

Mechanical and Housing

Housing material	Aluminum
Reflector material	
Optical cover/lens material	Glass
Optical cover/lens finish	Clear
Product dimensions mm	395*248*107
Product dimensions (inch)	15.55*9.76*4.21
Product color	Bronze/Black/White

Approval and Application

Ingress protection code	IP65
Mech.impact protection code	

Initial Performance (IEC Compliant)

Light output	7500lm-60W/10000lm-80W/12500lm-W
Luminous flux to lerance	+/-10%
Efficacy	125
Init.Corr.Color Temperature	3CCT
Init.Color Rendering Index	80
Initial input power	60W/80W/100W
Power consumotion tolerance	+/-10%

Application Conditions

Ar	nbient temperature range	-30℃-50℃
Di	mming	0-10V

Logistical Data


Order product name	WPT06/100/SW/8S3/YY/PHO
Net weight (piece)	•
Gross weight (piece)	•
Packaging dimensions (mm)	-
Packaging dimensions (inch)	
Packaging unit (piece)	-

Volumen (m³)	
Volumen (ft³)	

Application


Security lighting Pathway lighting Entryway lighting Perimeter lighting

Light Distribution & Spectrum



ZEUS

Dimensional drawing



ZEUS VI/A

Plusrite does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Plusrite. Plusrite is registered.