



DRAGONFLY I SPECIFICATION

BLR01/25/8XX/YY

Excellent thermal design, photocell sensor included; Uniform and consistent color, universal voltage:100-277V; 5000 hours rated average life.

Product data

General Information

Light source replaceable	NO
Number of gear units	1
Driver/power unit/transformer	Power supply unit
Driver included	Yes
Optic type	Symmetrical
Optical cover/lens type	
Luminaire light beam spread	Flood
Sensor socket	
Cable length	Cable 0.3m without plug
Protection class IEC	
Certifications	cETLus,FCC,Energy Star
Lifetime (hour)	50000
EU RoHS compliant	Yes

Light source engine type	LED

Operating and Electrical

Input voltage	100-277
Input frequency	50/60Hz
Current	0.3A
THD	<20%
Power factor (min)	0.9

Mechanical and Housing

Housing material	PC
Reflector material	
Optical cover/lens material	Glass
Optical cover/lens finish	Clear
Product dimensions mm	326*192*126
Product dimensions (inch)	12.83*7.56*4.96
Product color	Bronze/Black/White

Approval and Application

Ingress protection code	65
Mech.impact protection code	

Initial Performance (IEC Compliant)

Light output	2250lm
Luminous flux to lerance	+/-10%
Efficacy	90
Init.Corr.Color Temperature	3000K/4000K/5000K
Init.Color Rendering Index	80
Initial input power	25W
Power consumotion tolerance	+/-10%

Application Conditions

Ambient temperature range	-30℃-50℃
Dimming	0-10V

Logistical Data


Order product name	BLR01/25/8XX/YY
Net weight (piece)	
Gross weight (piece)	
Packaging dimensions (mm)	
Packaging dimensions (inch)	
Packaging unit (piece)	

Volumen (m³)	
Volumen (ft³)	

Application


Security lighting Entryway lighting Perimeter lighting Pathway lighting

Light Distribution & Spectrum



Flood(100 DEG)

Dimensional drawing



DRAGONFLY I/A

Accessories

Material	Description
Photocell	Electronic photocontrol

Plusrite does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Plusrite. Plusrite is registered.