

Panel Grow Light GLPLA SPECIFICATION

GLPLA/200/002/120° /DG
200W

Product data

General Information

Light source replaceable	No
Number of gear units	1
Driver/power unit/transformer	Power supply unit
Driver included	Yes
Optic type	Symmetrical
Optical cover/lens type	Silicon
Luminaire light beam spread	120°
Sensor socket	-
Cable length	Cable 1.8m
Protection class IEC	Safety class I
Certifications	ELT&CE
Lifetime (hour)	50,000h
EU RoHS compliant	Yes
Light source engine type	LED

Operating and Electrical

Input voltage	120-277V
Input frequency	50 or 60Hz
Current	1.7A-120V
THD	<20%
Power factor (min)	0.9

Mechanical and Housing

Housing material	Aluminum
Reflector material	-
Optical cover/lens material	Silicon
Optical cover/lens finish	Clear
Product dimensions mm	300*600*60
Product dimensions (inch)	200W 11.8*23.6*2.36
Product color	Darkgrey

Approval and Application

Ingress protection code	Damp Location
Mech.impact protection code	-

Initial Performance (IEC Compliant)

Light output	520umol/s
Luminous flux tolerance	+/-5%
Efficacy	2.6umol/J
Init.Corr.Color Temperature	-
Init.Color Rendering Index	-
Initial input power	200W
Power consumption tolerance	+/-10%

Application Conditions

Ambient temperature range	-10 to +40°C
Dimming	Rotary Dimmer (External control with RJ11 port)

Logistical Data


Order product name	GLPLA/200/002/120° /DG
Net weight (piece)	3KG
Gross weight (piece)	
Packaging dimensions (mm)	
Packaging dimensions (inch)	
Packaging unit (piece)	Folding carton box 1
Volumen (m ³)	
Volumen (ft ³)	

Application


© Grow tent

© Planting layer frame

Light Distribution & Spectrum




002






120°

Dimensional drawing



GLPLA/200/002/120° /BG

Accessories

Material	Description
 Stainless Steel Wire*2	Stainless Steel Wire
 RJ11 cable*1	RJ11 cable 3m
 Input Cable *1	Input Cable 1.8m

Plusrite does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Plusrite. Plusrite is registered.